

DATA SHEET

Ceiling-mounted motion detectors - 1-channel

PD3N-1C-NO-PF



white mat, similar to RAL9010, Part No. 92576

Product Information

- Remote control-capable ceiling motion detector
- One potential-free (dry) switching contact
- · Zero crossing switching
- Special optical system for detection of even the smallest movements
- Additional functions can be set up using the optional remote control.
- Application examples:

underground car parks, entrance halls, corridors/hallways, toilets, equipment rooms, small offices, open-plan offices, conference rooms

Technical Data

Voltage: 110 – 240 V AC 50 / 60 Hz

Dimensions: Ø 83 x 81 mm

Power consumption: approx. 0.4 W

Detection area: horizontal 360° (Ceiling mounting)

Range: max. Ø 10 m across

max. Ø 6 m towards max. Ø 4 m seated

Monitored area 78 m² / 2.5 m mounting height

(tangential movement):

Mounting height

min./max./recommended: 2 m / 5 m / 2.5 m

Degree / class of

IP23 / Class II

protection:

Impact strength: IK04

Ambient temperature: -25 °C to +50 °C

Housing: polycarbonate, UV-resistant

Channel 1 (lighting control, potential-free (dry))

Switching power: 2300 W, $\cos \varphi = 1$

1150 VA, $\cos \varphi = 0.5$

300 W LED

max. inrush current Ip (20 ms) = 165 A max. inrush current Ip (200 μ s) = 800 A

Type of contact: $1x \mu$ -contact, dry NO contact with tungsten pre-make contact

Follow-up time: 15 sec – 30 min, Pulse


Switch-on threshold: 10 - 2000 Lux


Description

Description	Colour	Part number	EAN number
PD3N-1C-NO-PF-FC	white mat, similar to RAL9010	92576	4007529925766

Accessory

Description	Colour	Part number	EAN number
IR-PD3/4N-1C-E	-	93110	4007529931101
IR-PD3N	-	92105	4007529921058
IR-PD-Mini	-	92159	4007529921591
Wire basket BSK (Ø 200 x 90 mm)	white	92199	4007529921997
RC-Arc extinction kit	white	10880	4007529108800
Mini-RC-Arc extinction kit	black	10882	4007529108824
Square design frame PD3N-FC	white mat, similar to RAL9010	92991	4007529929917
BLE-IR-Adapter	black	93067	4007529930678






Dimensions 92576

Range diagram

- 1: Walking across
- 2: Walking towards
- 3: Seated activity



Wiring diagramms

© 2023 B.E.G. Brück Electronic GmbH