# AMUN 716 S KNX

Item no.: 7169230

#### KNX Sensorik

## Description

- CO<sub>2</sub> airguality sensor with integrated individual room thermostat
- Measures CO<sub>2</sub> level, relative humidity, temperature and barometric air pressure
- Three independent, configurable thresholds for the  $CO_2$  level and relative humidity
- CO<sub>2</sub> setting range of 300-5000 ppm
- Actions can be carried out if thresholds are exceeded or not reached (send, priority, switching, value)
- For controlling heating actuators or motorised actuators
- Two front panels are included in delivery: a numerical and a relative scale
- Manual override button for presence or operation modes: comfort, stand-by, temperature reduction at night, frost protection
- 4 binary inputs for conventional switches/sensors (switching, dimming, blinds), also for externeal temperature sensor, window contact or presence signal
- Display of the current operating mode and heating/cooling mode through multi-colored LED



theben

### Technical data


	AMUN 716 S KNX
Operating voltage KNX	Bus voltage, ≤15 mA
Measuring range CO <sub>2</sub>	300 — 5000 ppm
Setting range temperature	-5°C 45°C
Measuring range humidity	1 – 100 % rH
Measuring range air pressure	30000 - 110000 Pa
Interface extension max.	30 m
Contact voltage	5 V Internal provided

	AMUN 716 S KNX
Contact current	0.5 mA
Ambient temperature	5°C 40°C
Installation type	Wall installation
Display	LEDs mehrfarbig
Type of protection	IP 20
Protection class	III according to EN 60 730-1


# AMUN 716 S KNX Item no.: 7169230




## Connection example



## Scale drawings





# AMUN 716 S KNX Item no.: 7169230



#### Accessories



**Temperature sensor** Item no.: 9070321



Temperature sensor RAMSES IP 65 Item no.: 9070459

